

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	5703	((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 11:01
S3	119	(((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel\$4 or encasulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 08:36
S4	2	("6466976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 14:46
S5	4	((("6590604") or ("6237025"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 14:46
S6	2	((("6590604") or ("6237025"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/16 14:47
S8	392	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 14:51
S9	202	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 14:52
S10	202	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507"	US-PGPUB; USPAT	OR	ON	2004/09/16 14:53

S11	81	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4	US-PGPUB; USPAT	OR	ON	2004/09/16 14:54
S12	63	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:13
S13	63	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:25
S14	3316390	@ad<="20010507" and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:17
S15	109	@ad<="20010507" and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2004/09/16 15:24
S16	3	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2004/09/16 15:18
S17	49	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2004/09/17 06:50

S18	233	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference)) and database and format and compress\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2004/09/17 06:50
S19	11	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference)) and database and format and compress\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point" and "layer 2 tunneling protocol"	US-PGPUB; USPAT	OR	ON	2004/09/17 07:32
S20	0	(decrpyt\$4 or decompress\$4) near4 lac and (encrpyt\$4 or compress\$4) near4 lns	US-PGPUB; USPAT	OR	ON	2004/09/17 07:33
S21	0	(encrpyt\$4 or compress\$4) near4 lac and (decrpyt\$4 or decompress\$4) near4 lns	US-PGPUB; USPAT	OR	ON	2004/09/17 07:34
S22	0	(encrpyt\$4 or compress\$4) near4 "access concentrator" and (decrpyt\$4 or decompress\$4) near4 server	US-PGPUB; USPAT	OR	ON	2004/09/17 07:34
S23	0	((encrpyt\$4 or compress\$4) near4 "access concentrator") and ((decrpyt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S24	0	((encrpyt\$4 or compress\$4) near4 "tunnel initiator") and ((decrpyt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S25	513	((decrpyt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S26	0	((decrpyt\$4 or decompress\$4) near4 server) and l2tp	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S27	22	((decrpyt\$4 or decompress\$4) near4 server) and ppp	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S28	3965	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 08:04

S29	9297	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS. or (709/223).CCLS. or (709/235).CCLS.)) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 07:55
S30	2	(((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel\$4 or encasulat\$4) and l2tp and (rule or parameter or preference or preference or capabilit\$4 or abilit\$4) and (endpoint or lns) and ("tunnel initiator" or lac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 09:02
S31	0	l2tp and reset and renegotiate near8 (parameter or stting or preference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:31
S32	0	l2tp and renegotiate near8 (parameter or stting or preference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S33	486	l2tp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S34	3	l2tp and renegotiate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S35	0	09/850176	US-PGPUB; USPAT	OR	ON	2005/04/14 12:40
S36	3868	((709/222) or (709/228) or (709/200) or (709/202)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:40
S37	45458	(network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:40

S38	6549	((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S39	134	(((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel\$4 or encasulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S40	2	("6466976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S41	4	((("6590604") or ("6237025"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S42	2	((("6590604") or ("6237025"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/14 12:41
S43	439	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S44	210	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S45	210	((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41

S46	85	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S47	67	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S48	67	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S49	3332201	@ad<="20010507" and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S50	117	@ad<="20010507" and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S51	3	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S52	50	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference).ab.) and database and format and compres\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41

S53	244	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference)) and database and format and compress\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S54	12	(((((network or internet) same (capab\$5 or abilit\$4 or parameter or rule or profile or preference or preference)) and database and format and compress\$5 and encrypt\$4) and @ad<="20010507") and negotiat\$4) and (encapsulat\$4 or tunnel\$4) and "point-to-point" and "layer 2 tunneling protocol"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S55	0	(decrypt\$4 or decompress\$4) near4 lac and (encrypt\$4 or compress\$4) near4 lns	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S56	0	(encrypt\$4 or compress\$4) near4 lac and (decrypt\$4 or decompress\$4) near4 lns	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S57	0	(encrypt\$4 or compress\$4) near4 "access concentrator" and (decrypt\$4 or decompress\$4) near4 server	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S58	0	((encrypt\$4 or compress\$4) near4 "access concentrator") and ((decrypt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S59	0	((encrypt\$4 or compress\$4) near4 "tunnel initiator") and ((decrypt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S60	592	((decrypt\$4 or decompress\$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S61	0	((decrypt\$4 or decompress\$4) near4 server) and l2tp	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S62	24	((decrypt\$4 or decompress\$4) near4 server) and ppp	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S63	4240	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41

S64	9540	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS. or (709/223).CCLS. or (709/235).CCLS.)) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S65	3	(((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel\$4 or encasulat\$4) and l2tp and (rule or parameter or preference or preference or capabilit\$4 or abilit\$4) and (endpoint or lns) and ("tunnel initiator" or lac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S66	0	l2tp and reset and renegotiate near8 (parameter or stting or preference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S67	1	l2tp and renegotiate near8 (parameter or stting or preference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S68	619	l2tp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S69	5	l2tp and renegotiate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S70	115	(tunnel same connect\$ near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:43
S71	0	S70 same (point near2 point near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44
S72	11	S70 and (point near2 point near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44